

# ● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>09/187385</u>	Examiner : <u>Hug</u>	GAU : <u>1643</u>
From: <u>TW</u>	Location: IDC FMF <u>FDC</u>	Date: <u>2-24-06</u>
Tracking #: <u>EPM</u>		Week Date: <u>9-19-05</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input checked="" type="checkbox"/> DRW	<u>6-10-04</u>	
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input checked="" type="checkbox"/> SPEC	<u>11-6-98</u>	

**[RUSH] MESSAGE:**

In the drawings submitted on 6-10-04 there is a Figure 3 shown but Figure 3 is not described on Page 7 of the 11-6-98 specification

Please correct specification

Thank You  
TW

**[XRUSH] RESPONSE:** The drawings of 6/10/04 are NOT replacement drawings - they are part of the affidavit filed 6/10/04 - see annotation

The drawings that are replacement were filed 11/28/05 and there are 2.

NO ERROR

SIH  
**INITIALS:**

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.  
REV 10/04